

WEEKLY INFLUENZA REPORT


Data as of Wednesday, December 08, 2011

The following report is meant to provide local health departments, hospital administrators, health professionals and residents with a general understanding of the burden of influenza-like illness (ILI). Data from several surveillance programs were utilized to produce this report. For further information about the data presented in this report, please call the ISDH Surveillance and Investigation Division at 317-233-7125.

Key Points:

- The current percentage of ILI reported by the emergency department surveillance (ED) system (1.29%) and the sentinel surveillance system (.82%) is at baseline.
- During week 48, 25% (2/8) of specimens that were submitted for influenza surveillance were positive for seasonal influenza. One of the eight specimens was positive for Coxsakie B virus.
- During week 48, 0 Indiana schools (K-12) reported that their absenteeism rate was 20% or higher.
- Universities and non-university facilities are experiencing similar levels of ILI in their communities.
- Two human infections with novel influenza A viruses were detected in individuals from Indiana. Both patients were infected with swine-origin influenza A (H3N2) viruses. Both were hospitalized but have been discharged and both have recovered from their illnesses. One case was hospitalized in July, 2011 and one in October, 2011. There has been no evidence of an epidemiological link between these two patients.

Percent of patients who presented at an emergency department (ED) with a chief complaint relating to influenza-like illness – Indiana, 20011/12 & 2010/2009, 2009/10, 2008/9 seasons, 2006/7 & 2007/8 seasonal averages.*† (EDs currently reporting = 113)



Key Findings


The current percentage of ILI reported by the emergency department surveillance (ED) system (1.29) which is at baseline.

Sentinel reported influenza-like illness by sentinel type and reporting week with number of reporting sites Indiana, 2011/12 season.*

| Reporting Week | All Reporters %ILI | Universities %ILI | Non-Universities %ILI |
|----------------|--------------------|--------------------------|------------------------------|
| Week 48 | .82 (35) | .81 (9) | .83 (26) |
| Week 47 | 1.07 (42) | 1.26 (9) | 1.06 (33) |
| Week 46 | .98 (42) | 1.41 (10) | .88 (32) |

^{*}Data obtained from the ISDH Sentinel Influenza Surveillance System. This data is subject to change as sentinel sites can back-date their weekly reports.

Percent of patients who presented at sentinel provider clinics with symptoms relating to influenza-like illness – Indiana, 2011/2012 data vs. 2006/07 -2010/2011 seasonal averages. 2009/2010 season excluded due to the pandemic*† (Number of sentinel provider clinics who reported this week = 35)



^{*}Data obtained from the ISDH Sentinel Influenza Surveillance System.

^{*}Data obtained from the ISDH Public Health Emergency Surveillance System (PHESS). The 2008/9 season had a "Week 53" which the 2006/7 and 2007/8 seasons did not have, explaining the break in the seasonal average line.

[†] PHESS data is very timely, so the data reported is for the most current week.

Sentinel reported influenza-like illness (ILI) by age category for the most current week reported – Indiana, 2011-12

| | season." | |
|--------------------------|-----------------------------|---------------------|
| Age category (yrs) | Total number with ILI | Percent with ILI |
| 0–4 | 6 | 9 |
| 5 –24 | 34 | 51 |
| 25–49 | 14 | 21 |
| 50-64 | 12 | 18 |
| 65+ | 1 | 1 |
| Total | 67 | 100 |

^{*}Data obtained from the ISDH Sentinel Influenza Surveillance System.

Key Findings

- The percent of patients presenting at sentinel providers with ILI is at baseline.
- Universities and non-universities are experiencing similar levels of ILI in their population.

Sentinel and ED influenza-like illness percentages by reporting week Indiana, 2011/12 season.

| Reporting Week | ED Surveillance %ILI | Sentinel Surveillance %ILI |
|----------------|----------------------|----------------------------|
| Week 48 | 1.29 | .82 |
| Week 47 | 1.33 | 1.07 |
| Week 46 | 1.27 | .98 |

Number of new deaths associated with laboratory confirmed influenza, by age category – Indiana, November 30, 2011

| | This week's numbers | | Numbers since October 2, 2011 | | |
|--|--------------------------|--------------|----------------------------------|--|--|
| | Age category (yrs) | Total number | Age category (yrs) | Total number (2009 A/ H1N1pdm case) | |
| | 0-4 | 0 (0) | 0-4 | 0 (0) | |
| Number of deaths associated with influenza | 5-18 | 0 (0) | 5-18 | 0 (0) | |
| | 19-24 | 0 (0) | 19-24 | 0 (0) | |
| | 25-49 | 0 (0) | 25-49 | 0 (0) | |
| | 50-64 | 0 (0) | 50-64 | 0 (0) | |
| | 65+ | 0 (0) | 65+ | 0 (0) | |
| | Unknown | 0 (0) | Unknown | 0 (0) | |
| | Total | 0 (0) | Total | 0 (0) | |

[†] Sentinel data has limited timeliness, so the data reported is for the week before the most current week. This data is subject to change as sentinel sites can back-date their weekly reports.

^{*}Sentinel data has limited timeliness, so the data reported is for the week before the most current week. This data is subject to change as sentinel sites can back-date their weekly reports.

Number of schools (K-12) reporting a 20% or more absenteeism rate - Indiana, 2011/12 school year*

| Health District† | Current Week | Total since September 14, 2009 |
|------------------|-----------------|-----------------------------------|
| 1 | 0 | 0 |
| 2 | 0 | 0 |
| 3 | 0 | 0 |
| 4 | 0 | 0 |
| 5 | 0 | 0 |
| 6 | 0 | 0 |
| 7 | 0 | 0 |
| 8 | 0 | 0 |
| 9 | 0 | 0 |
| 10 | 0 | 0 |
| Total | 0 | 0 |

^{*}Data is self reported by schools to the Indiana Department of Education and/or to their local health department. Schools report children absent due to any illness, not just influenza-like illness.

ISDH Laboratory data regarding circulating influenza viruses - Indiana, 2011/12 influenza season.*

| | This week's total | | 2012 total | |
|-------------------------------|-------------------|-------------------------------------|------------|-------------------------------------|
| PCR Result | Number | Percent of specimens received | Number | Percent of specimens received |
| 2009 A/H1N1pdm virus | 0 | 0% | 0 | 0% |
| Influenza A/H3 seasonal virus | 2 | 25% | 3 | 4.2% |
| Influenza A/H1 seasonal virus | 0 | 0% | 0 | 0% |
| Influenza B seasonal virus | 0 | 0% | 0 | 0% |
| Influenza negative | 6 | 75% | 67 | 93.1% |
| Inconclusive s | 0 | 0% | 1 | 1.4% |
| Unsatisfactory specimen† | 0 | 0% | 1 | 1.4% |
| Total | 8 | 100% | 72 | 100% |

^{*}Data obtained from the ISDH Laboratory via specimens submitted from the ISDH Sentinel Influenza Surveillance System and IN Sentinel Laboratories.

[†]Unsatisfactory specimens include specimens that leaked in transit, were too long in transit, or were inappropriately labeled.

s The inconclusive result was a human infection with a novel influenza A virus was identified on October 28, 2011 through laboratory surveillance at the Indiana State Department of Health Laboratory. The specimen was sent to the CDC and confirmed the specimen was a triple reassortant H3N2 (SOtrH3N2) influenza virus

2009 H1N1pdm-positive samples by age group – Indiana, 2011/12 influenza season.*

This week's 2012 totals

numbers Total Percent **Total** Percent Age number number category by age by age (yrs) group group 0-4 0 0% 0 0% 5-18 0 0 0% 0% 19-24 0 0% 0 0% 2009 25-49 0 0% 0 0% H1N1pdm-50-64 0% 0% positive 0 0

0

0

0

specimens

65+

Total

Unknown

OTHER CIRCULATING VIRUSES RECENTLY IDENTIFIED BY THE ISDH LABORATORY:

0%

0%

0%

0

0

0

0%

0%

0%

| OTHER CIRCULATING VIROSES RECEIVED IDENTIFIED BY THE ISDIT LABORATORY. | | | | |
|--|-----------|------------|--|--|
| Other Respiratory Viruses | This Week | 2012 Total | Summer Surveillance (May-Sept 2011) | |
| Adenovirus | 0 | 5 | 3 | |
| Coxsackie A Virus | 0 | 0 | 3 | |
| Coxsackie B Virus | 1 | 1 | 0 | |
| Echovirus | 0 | 0 | 0 | |
| Enterovirus NOS | 0 | 0 | 0 | |
| Parainfluenza 1 Virus | 0 | 2 | 2 | |
| Parainfluenza 2 Virus | 0 | 1 | 0 | |
| Parainfluenza 3 Virus | 0 | 0 | 1 | |
| Rhinovirus | 0 | 8 | 3 | |
| Human Metapneumovirus | 0 | 3 | 0 | |
| Total | 1 | 20 | 12 | |

^{*}Data obtained from the ISDH Laboratory via specimens submitted from the ISDH Sentinel Influenza Surveillance System and IN Sentinel Laboratories.